

## MAINTENANCE PERIODS

WHEELS	TYPE OF OPERATION	KM (MAX)	TIME (MAX)
<b>Road wheels</b>	Check at a specialized mechanic's:	2.000-5.000	
	<ul style="list-style-type: none"> <li>check the lubrication, rolling and clearance of the hubs</li> </ul>		
	<ul style="list-style-type: none"> <li>check the wheel centering</li> </ul>		
	Check at a specialized mechanic's:	10.000-20.000	
	<ul style="list-style-type: none"> <li>check the lubrication, rolling and clearance of the hubs and replace any worn parts of the hubs and free wheel body</li> </ul>		
	<ul style="list-style-type: none"> <li>check the wheel centering</li> </ul>		
	<ul style="list-style-type: none"> <li>check the wear of the braking track and replace rim if required</li> </ul>		
	Replace the Tubeless valve (only 2-Way Fit wheels)		1 year
<b>CX wheels</b>	Check at a specialized mechanic's:	2.000-5.000	
	<ul style="list-style-type: none"> <li>check the lubrication, rolling and clearance of the hubs</li> </ul>		
	<ul style="list-style-type: none"> <li>check the wheel centering</li> </ul>		
	Check at a specialized mechanic's:	10.000-20.000	
	<ul style="list-style-type: none"> <li>check the lubrication, rolling and clearance of the hubs and replace any worn parts of the hubs and free wheel body</li> </ul>		
	<ul style="list-style-type: none"> <li>check the wheel centering</li> </ul>		
	<ul style="list-style-type: none"> <li>check the wear of the braking track and replace rim if required</li> </ul>		

 **ATTENTION!**

**NEVER** use compressed air to dry a wheel. You might damage the wheel by injecting it into the tyre through the valve or the draining holes for the water.