



	Racing Zero 2-Way Fit™		Racing 1 2-Way Fit™		Racing 3 2-Way Fit™		Racing Zero	
	RACING ZERO 2-Way Fit™ front	RACING ZERO 2-Way Fit™ rear	RACING 1 2-Way Fit™ front	RACING 1 2-Way Fit™ rear	RACING 3 2-Way Fit™ front	RACING 3 2-Way Fit™ rear	RACING ZERO clincher front	RACING ZERO clincher rear
Weight*	625	835	645	860	680	915	610	825
nominal and ETRTO width	20,5/15	20,5/15	20,5/15	20,5/15	20,5/15	20,5/15	20,5/15	20,5/15
CULT™/USB™ bearings	U	U	no	no	no	no	U	U
Dynamic Balance (R=rim; S=spokes)	R	R	R	R	R	R	R	R
spoke anti-rotation system	no	no	no	no	yes	yes	no	no
machining	3	3	3	3	1	1	3	3
spoke material	aluminium	aluminium	aluminium	aluminium	stainless steel	stainless steel	aluminium	aluminium
number of spokes	16 radial	7 left 14 right	16 radial	7 left 14 right	16 radial	7 left 14 right	16 radial	7 left 14 right
type of spokes	ultra aero with variable section	ultra aero with variable section	aero with variable section	aero with variable section	aero with variable section	aero with variable section	aero with variable section	aero with variable section
HUB material (body/axle)	Carb/Alu/Alu	Carb/Alu/Alu	Alu/Alu	Alu/Alu	Alu/Alu	Alu/Alu	Carb/Alu/Alu	Carb/Alu/Alu
compatibility	100mm	130mm CAMP 9/10/11 HG 8/9/10	100mm	130mm CAMP 9/10/11 HG 8/9/10	100mm	130mm CAMP 9/10/11 HG 8/9/10	100mm	130mm CAMP 9/10/11 HG 8/9/10

* Average weight - does not include the quick-release and the rim-tape and it refers to the Campagnolo® FW body version.

Racing Zero		Racing 1		Racing 3		Racing 5		Racing 7	
<i>RACING ZERO tub. front</i>	<i>RACING ZERO tub. rear</i>	<i>RACING 1 clincher front</i>	<i>RACING 1 clincher rear</i>	<i>RACING 3 clincher front</i>	<i>RACING 3 clincher rear</i>	<i>RACING 5 clincher front</i>	<i>RACING 5 clincher rear</i>	<i>RACING 7 clincher front</i>	<i>RACING 7 clincher rear</i>
615	815	635	850	670	885	775	985	828	1021
20/-	20/-	20/15	20/15	20/15	20/15	20/15	20/15	20/15	20/15
U	U	no	no	no	no	no	no	no	no
R	R	R	R	R	R	S	S	no	no
no	no	no	no	no	no	no	no	no	no
3	3	3	3	1	1	no	no	no	no
aluminium	aluminium	aluminium	aluminium	stainless steel	stainless steel	stainless steel	stainless steel	stainless steel	stainless steel
16 radial	7 left 14 right	16 radial	7 left 14 right	16 radial	7 left 14 right	20 radial	8 left 16 right	20 radial	8 left 16 right
aero with variable section	aero with variable section	aero with variable section	aero with variable section	aero	aero	aero with variable section	aero with variable section	standard 2mm	standard 2mm
Carb/Alu/Alu	Carb/Alu/Alu	Alu/Alu	Alu/Alu	Alu/Alu	Alu/Alu	Alu/Steel	Alu/Steel	Alu/Steel	Alu/Steel
100mm	130mm CAMPA 9/10/11 HG 8/9/10	100mm	130mm CAMPA 9/10/11 HG 8/9/10	100mm	130mm CAMPA 9/10/11 HG 8/9/10	100mm	130mm CAMPA 9/10/11 HG 8/9/10	100mm	130mm CAMPA 9/10/11 HG 8/9/10



Racing Light XLR

Racing Speed XLR / Racing Speed

	RACING LIGHT™ XLR clincher front	RACING LIGHT™ XLR clincher rear	RACING LIGHT™ XLR tub. front	RACING LIGHT™ XLR tub. rear	RACING SPEED™ XLR tub. front	RACING SPEED™ XLR tub. rear	RACING SPEED™ XLR 80 tub. front	RACING SPEED™ XLR 80 tub. rear	RACING SPEED™ tub. front	RACING SPEED™ tub. rear	RED WIND XLR™ front clincher / 2WF	RED WIND XLR™ rear clincher / 2WF
Weight*	595	750	546	680	577	747	715	825	590	770	727	863
nominal and ETRTO width	20,5/13	20,5/13	20/-	20/-	20/-	20/-	20/-	20/-	20/-	20/-	20,5/15	20,5/15
Steel/CULT™/USB™ bearings	C	C	C	C	C	C	C	C	S	S	S/U/C	S/U/C
Dynamic Balance (R=rim; S=spokes)	R	R	R	R	R	R	R	R	R	R	R	R
spoke anti-rotation system	no	no	no	no	no	no	no	no	yes	yes	yes	yes
machining	no	no	no	no	no	no	no	no	no	no	no	no
spoke material	stainless steel	stainless steel	stainless steel	stainless steel	stainless steel	stainless steel	stainless steel	stainless steel	stainless steel	stainless steel	stainless steel	stainless steel
number of spokes	22 radial	8 left 16 right	22 radial	8 left 16 right	18 radial	7 left 14 right	16 radial	6 left 12 right	18 radial	7 left 14 right	16 radial	7 left 14 right
type of spokes	aero with variable section	aero with variable section	aero with variable section	aero with variable section	aero with variable section	aero with variable section	aero with variable section	aero with variable section	aero with variable section	aero with variable section	aero with variable section	aero with variable section
HUB material (body/axle)	carb-alu/Alu	carb-alu/Alu	carb-alu/Alu	carb-alu/Alu	carb-alu/Alu	carb-alu/Alu	carb-alu/Alu	carb-alu/Alu	carb-alu/Alu	carb-alu/Alu	alu/alu	alu/alu
compatibility	100mm	130mm CAMP 9/10/11 HG 8/9/10	100mm	130mm CAMP 9/10/11 HG 8/9/10	100mm	130mm CAMP 9/10/11 HG 8/9/10	100mm	130mm CAMP 9/10/11 HG 8/9/10	100mm	130mm CAMP 9/10/11 HG 8/9/10	100mm	130mm CAMP 9/10/11 HG 8/9/10

Red Wind XLR / Red Wind / Red Wind XLR CX										Chrono	Racing 5 CX		Racing 7 CX	
RED WIND XLR™ 80 front clincher / 2WF	RED WIND XLR™ 80 rear clincher / 2WF	RED WIND XLR™ 105 front clincher / 2WF	RED WIND XLR™ 105 rear clincher / 2WF	RED WIND™ clincher front	RED WIND™ clincher rear	RED WIND™ 80 clincher front	RED WIND™ 80 clincher rear	RED WIND XLR™ CX clincher front	RED WIND XLR™ CX clincher rear	RACING CHRONO™ tub. rear	RACING 5 CX clincher front	RACING 5 CX clincher rear	RACING 7 CX clincher front	RACING 7 CX clincher rear
815	955	910	1050	785	970	865	1065	737	873	1010	775	985	828	1021
20,5/15	20,5/15	20,5/15	20,5/15	20,5/15	20,5/15	20,5/15	20,5/15	20,5/15	20,5/15	19/-	20/15	20/15	20/15	20/15
S/U/C	S/U/C	S/U/C	S/U/C	S/U	S/U	S/U	S/U	S/U/C	S/U/C	C	no	no	no	no
R	R	R	R	R	R	R	R	R	R	no	S	S	no	no
yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	no	no	no	no	no
no	no	no	no	no	no	no	no	no	no	no	no	no	no	no
stainless steel	stainless steel	stainless steel	stainless steel	stainless steel	stainless steel	stainless steel	stainless steel	stainless steel	stainless steel	-	stainless steel	stainless steel	stainless steel	stainless steel
16 radial	6 left 12 right	16 radial	6 left 12 right	18 radial	7 left 14 right	16 radial	6 left 12 right	18 radial	7 left 14 right	-	20 radial	8 left 16 right	20 radial	8 left 16 right
aero with variable section	aero with variable section	aero with variable section	aero with variable section	aero with variable section	aero with variable section	aero with variable section	aero with variable section	aero with variable section	aero with variable section	disc	aero with variable section	aero with variable section	standard 2mm	standard 2mm
alu/alu	alu/alu	alu/alu	alu/alu	alu/acc	alu/acc	alu/acc	alu/acc	alu/alu	alu/alu	Alu/Alu	Alu/Alu	Alu/Alu	Alu/Alu	Alu/Alu
100mm	130mm CAMPA 9/10/11 HG 8/9/10	100mm	130mm CAMPA 9/10/11 HG 8/9/10	100mm	130mm CAMPA 9/10/11 HG 8/9/10	100mm	130mm CAMPA 9/10/11 HG 8/9/10	100mm	130mm CAMPA 9/10/11 HG 8/9/10	132mm CAMPA 9V	100mm	130mm CAMPA 9/10/11 HG 8/9/10	100mm	130mm CAMPA 9/10/11 HG 8/9/10